

spex[®]

Shaping Better Lives

Designed and
manufactured by **medifab[®]**

CLINICAL WHEELCHAIR SEATING

SCRIPT & ORDER GUIDE

SPEXSEATING.COM




Active Mobility

Approved distributor

Grid-Base Seat Pan

STEP 1: SELECT SIZE


QTY	ITEM CODE	W/C WIDTH	LENGTH	PER
	1007-1012-100	10"/11"	12"	EA
	1007-1212-100	12"/13"	12"	EA
	1007-1214-100	12"/13"	14"	EA
	1007-1414-100	14"/15"	14"	EA
	1007-1416-100	14"/15"	16"	EA
	1007-1616-100	16"/17"	16"	EA
	1007-1618-100	16"/17"	18"	EA
	1007-1818-100	18"/19"	18"	EA
	1007-1820-100	18"/19"	20"	EA
	1007-2020-100	20"/21"	20"	EA
	1007-2929-100	Up to 20" XX	XX	EA
	1007-2939-100	Up to 25" XX	XX	EA



Grid-Base Seat Pan can either be configured in Quick-Release or Hard-Mount (non-removable) set-up.

STEP 2: CUSTOMISE IF REQUIRED

QTY	ITEM CODE	CUSTOMISATION	PER
	1010-0292-000	Leg Length Discrepancy	EA
	T =	Indicate Side: Left / Right	
	1010-0291-000	Custom Backrest Cane Cut-Outs	PR
	R =	S = (Standard cut-out R=1.5", S=3")	
	1009-0210-100	Additional Mounting Kit	EA



Items listed in blue text are part of the Spex Kidz Range.

Cushion Rigidiser

QTY	ITEM CODE	WIDTH	LENGTH	PER	QTY	ITEM CODE	WIDTH	LENGTH	PER
	1110-1010-200	10"	10"	EA		1110-1616-200	16"	16"	EA
	1110-1012-200	10"	12"	EA		1110-1618-200	16"	18"	EA
	1110-1110-200	11"	10"	EA		1110-1716-200	17"	16"	EA
	1110-1112-200	11"	12"	EA		1110-1717-200	17"	17"	EA
	1110-1212-200	12"	12"	EA		1110-1718-200	17"	18"	EA
	1110-1214-200	12"	14"	EA		1110-1818-200	18"	18"	EA
	1110-1312-200	13"	12"	EA		1110-1820-200	18"	20"	EA
	1110-1314-200	13"	14"	EA		1110-1918-200	19"	18"	EA
	1110-1414-200	14"	14"	EA		1110-1920-200	19"	20"	EA
	1110-1416-200	14"	16"	EA		1110-2020-200	20"	20"	EA
	1110-1514-200	15"	14"	EA		1110-2929-200	Up to 20" XX	XX	EA
	1110-1516-200	15"	16"	EA		1110-2939-200	Up to 25" XX	XX	EA

Vigour Cushion



VIGOUR STANDARD CONTOUR						VIGOUR HIGH CONTOUR			
WIDTH	LENGTH	QTY	CUSHION	QTY	SPARE COVER	QTY	CUSHION	QTY	SPARE COVER
10"	10"		1103-1010-OSC		1123-1010-6SC		1103-1010-OHC		1123-1010-6HC
	12"		1103-1012-OSC		1123-1012-6SC		1103-1012-OHC		1123-1012-6HC
	XX		1103-10XX-OSC		1123-10XX-6SC		1103-10XX-OHC		1123-10XX-6HC
11"	10"		1103-1110-OSC		1123-1110-6SC		1103-1110-OHC		1123-1110-6HC
	12"		1103-1112-OSC		1123-1112-6SC		1103-1112-OHC		1123-1112-6HC
	XX		1103-11XX-OSC		1123-11XX-6SC		1103-11XX-OHC		1123-11XX-6HC
12"	12"		1103-1212-OSC		1123-1212-6SC		1103-1212-OHC		1123-1212-6HC
	14"		1103-1214-OSC		1123-1214-6SC		1103-1214-OHC		1123-1214-6HC
	XX		1103-12XX-OSC		1123-12XX-6SC		1103-12XX-OHC		1123-12XX-6HC
13"	12"		1103-1312-OSC		1123-1312-6SC		1103-1312-OHC		1123-1312-6HC
	14"		1103-1314-OSC		1123-1314-6SC		1103-1314-OHC		1123-1314-6HC
	XX		1103-13XX-OSC		1123-13XX-6SC		1103-13XX-OHC		1123-13XX-6HC
14"	14"		1103-1414-OSC		1123-1414-6SC		1103-1414-OHC		1123-1414-6HC
	16"		1103-1416-OSC		1123-1416-6SC		1103-1416-OHC		1123-1416-6HC
	18"		1103-1418-OSC		1123-1418-6SC		1103-1418-OHC		1123-1418-6HC
	XX		1103-14XX-OSC		1123-14XX-6SC		1103-14XX-OHC		1123-14XX-6HC
15"	14"		1103-1514-OSC		1123-1514-6SC		1103-1514-OHC		1123-1514-6HC
	16"		1103-1516-OSC		1123-1516-6SC		1103-1516-OHC		1123-1516-6HC
	XX		1103-15XX-OSC		1123-15XX-6SC		1103-15XX-OHC		1123-15XX-6HC
16"	16"		1103-1616-OSC		1123-1616-6SC		1103-1616-OHC		1123-1616-6HC
	18"		1103-1618-OSC		1123-1618-6SC		1103-1618-OHC		1123-1618-6HC
	20"		1103-1620-OSC		1123-1620-6SC		1103-1620-OHC		1123-1620-6HC
	XX		1103-16XX-OSC		1123-16XX-6SC		1103-16XX-OHC		1123-16XX-6HC
17"	17"		1103-1717-OSC		1123-1717-6SC		1103-1717-OHC		1123-1717-6HC
	18"		1103-1718-OSC		1123-1718-6SC		1103-1718-OHC		1123-1718-6HC
	XX		1103-17XX-OSC		1123-17XX-6SC		1103-17XX-OHC		1123-17XX-6HC
18"	18"		1103-1818-OSC		1123-1818-6SC		1103-1818-OHC		1123-1818-6HC
	20"		1103-1820-OSC		1123-1820-6SC		1103-1820-OHC		1123-1820-6HC
	XX		1103-18XX-OSC		1123-18XX-6SC		1103-18XX-OHC		1123-18XX-6HC
19"	18"		1103-1918-OSC		1123-1918-6SC		1103-1918-OHC		1123-1918-6HC
	20"		1103-1920-OSC		1123-1920-6SC		1103-1920-OHC		1123-1920-6HC
	XX		1103-19XX-OSC		1123-19XX-6SC		1103-19XX-OHC		1123-19XX-6HC
20"	20"		1103-2020-OSC		1123-2020-6SC		1103-2020-OHC		1123-2020-6HC
	22"		1103-2022-OSC		1123-2022-6SC		1103-2022-OHC		1123-2022-6HC
	XX		1103-20XX-OSC		1123-20XX-6SC		1103-20XX-OHC		1123-20XX-6HC
Upto20	XX		1103-2929-OSC		1123-2929-6SC		1103-2929-OHC		1123-2929-6HC
Upto25	XX		1103-2939-OSC		1123-2939-6SC		1103-2939-OHC		1123-2939-6HC

Spex Cushion



CUSHION RIGIDISER, VIGOUR CUSHIONS

SPEX & SUPERHIGH CUSHIONS

SPEX STANDARD CONTOUR (30mm Trough Height)						SPEX HIGH CONTOUR (50 mm Trough Height)				
WIDTH	LENGTH	QTY	CUSHION	QTY	SPARE COVER	QTY	CUSHION	QTY	SPARE COVER	
10"	10"		1105-1010-OSC		1125-1010-6SC		1105-1010-OHC		1125-1010-6HC	
	12"		1105-1012-OSC		1125-1012-6SC		1105-1012-OHC		1125-1012-6HC	
	XX		1105-10XX-OSC		1125-10XX-6SC		1105-10XX-OHC		1125-10XX-6HC	
11"	10"		1105-1110-OSC		1125-1110-6SC		1105-1110-OHC		1125-1110-6HC	
	12"		1105-1112-OSC		1125-1112-6SC		1105-1112-OHC		1125-1112-6HC	
	XX		1105-11XX-OSC		1125-11XX-6SC		1105-11XX-OHC		1125-11XX-6HC	
12"	12"		1105-1212-OSC		1125-1212-6SC		1105-1212-OHC		1125-1212-6HC	
	14"		1105-1214-OSC		1125-1214-6SC		1105-1214-OHC		1125-1214-6HC	
	XX		1105-12XX-OSC		1125-12XX-6SC		1105-12XX-OHC		1125-12XX-6HC	
13"	12"		1105-1312-OSC		1125-1312-6SC		1105-1312-OHC		1125-1312-6HC	
	14"		1105-1314-OSC		1125-1314-6SC		1105-1314-OHC		1125-1314-6HC	
	XX		1105-13XX-OSC		1125-13XX-6SC		1105-13XX-OHC		1125-13XX-6HC	
14"	14"		1105-1414-OSC		1125-1414-6SC		1105-1414-OHC		1125-1414-6HC	
	16"		1105-1416-OSC		1125-1416-6SC		1105-1416-OHC		1125-1416-6HC	
	18"		1105-1418-OSC		1125-1418-6SC		1105-1418-OHC		1125-1418-6HC	
	XX		1105-14XX-OSC		1125-14XX-6SC		1105-14XX-OHC		1125-14XX-6HC	
15"	14"		1105-1514-OSC		1125-1514-6SC		1105-1514-OHC		1125-1514-6HC	
	16"		1105-1516-OSC		1125-1516-6SC		1105-1516-OHC		1125-1516-6HC	
	XX		1105-15XX-OSC		1125-15XX-6SC		1105-15XX-OHC		1125-15XX-6HC	
16"	16"		1105-1616-OSC		1125-1616-6SC		1105-1616-OHC		1125-1616-6HC	
	18"		1105-1618-OSC		1125-1618-6SC		1105-1618-OHC		1125-1618-6HC	
	20"		1105-1620-OSC		1125-1620-6SC		1105-1620-OHC		1125-1620-6HC	
	XX		1105-16XX-OSC		1125-16XX-6SC		1105-16XX-OHC		1125-16XX-6HC	
17"	17"		1105-1717-OSC		1125-1717-6SC		1105-1717-OHC		1125-1717-6HC	
	18"		1105-1718-OSC		1125-1718-6SC		1105-1718-OHC		1125-1718-6HC	
	XX		1105-17XX-OSC		1125-17XX-6SC		1105-17XX-OHC		1125-17XX-6HC	
18"	18"		1105-1818-OSC		1125-1818-6SC		1105-1818-OHC		1125-1818-6HC	
	20"		1105-1820-OSC		1125-1820-6SC		1105-1820-OHC		1125-1820-6HC	
	XX		1105-18XX-OSC		1125-18XX-6SC		1105-18XX-OHC		1125-18XX-6HC	
19"	18"		1105-1918-OSC		1125-1918-6SC		1105-1918-OHC		1125-1918-6HC	
	20"		1105-1920-OSC		1125-1920-6SC		1105-1920-OHC		1125-1920-6HC	
	XX		1105-19XX-OSC		1125-19XX-6SC		1105-19XX-OHC		1125-19XX-6HC	
20"	20"		1105-2020-OSC		1125-2020-6SC		1105-2020-OHC		1125-2020-6HC	
	22"		1105-2022-OSC		1125-2022-6SC		1105-2022-OHC		1125-2022-6HC	
	XX		1105-20XX-OSC		1125-20XX-6SC		1105-20XX-OHC		1125-20XX-6HC	
Upto20	XX		1105-2929-OSC		1125-2929-6SC		1105-2929-OHC		1125-2929-6HC	
Upto25	XX		1105-2939-OSC		1125-2939-6SC		1105-2939-OHC		1125-2939-6HC	

Spex SuperHigh Cushion



10"-13" Trough Height: 80 mm at front

14"+ Trough Height: 100 mm at front



WIDTH	LENGTH	QTY	CUSHION	QTY	SPARE COVER	WIDTH	LENGTH	QTY	CUSHION	QTY	SPARE COVER
10"	10"		1105-1010-OSS		1125-1010-6SS	16"	16"		1105-1616-OSS		1125-1616-6SS
	12"		1105-1012-OSS		1125-1012-6SS		18"		1105-1618-OSS		1125-1618-6SS
	XX		1105-10XX-OSS		1125-10XX-6SS		20"		1105-1620-OSS		1125-1620-6SS
11"	10"		1105-1110-OSS		1125-1110-6SS	17"	XX		1105-16XX-OSS		1125-16XX-6SS
	12"		1105-1112-OSS		1125-1112-6SS		17"		1105-1717-OSS		1125-1717-6SS
	XX		1105-11XX-OSS		1125-11XX-6SS		18"		1105-1718-OSS		1125-1718-6SS
12"	12"		1105-1212-OSS		1125-1212-6SS	18"	XX		1105-17XX-OSS		1125-17XX-6SS
	14"		1105-1214-OSS		1125-1214-6SS		18"		1105-1818-OSS		1125-1818-6SS
	XX		1105-12XX-OSS		1125-12XX-6SS		20"		1105-1820-OSS		1125-1820-6SS
13"	12"		1105-1312-OSS		1125-1312-6SS	19"	XX		1105-18XX-OSS		1125-18XX-6SS
	14"		1105-1314-OSS		1125-1314-6SS		18"		1105-1918-OSS		1125-1918-6SS
	XX		1105-13XX-OSS		1125-13XX-6SS		20"		1105-1920-OSS		1125-1920-6SS
14"	14"		1105-1414-OSS		1125-1414-6SS	20"	XX		1105-19XX-OSS		1125-19XX-6SS
	16"		1105-1416-OSS		1125-1416-6SS		20"		1105-2020-OSS		1125-2020-6SS
	18"		1105-1418-OSS		1125-1418-6SS		22"		1105-2022-OSS		1125-2022-6SS
	XX		1105-14XX-OSS		1125-14XX-6SS	Upto20	XX		1105-20XX-OSS		1125-20XX-6SS
15"	14"		1105-1514-OSS		1125-1514-6SS		XX		1105-2929-OSS		1125-2929-6SS
	16"		1105-1516-OSS		1125-1516-6SS		XX		1105-2939-OSS		1125-2939-6SS
	XX		1105-15XX-OSS		1125-15XX-6SS						

Now standard with 'Step' contouring. Nnot compatible with Thigh Supports or Medial Thigh Supports

Cushion Custom Modifications

QTY	ITEM CODE	SHAPE MODIFICATION	PER
	1111-0315-000	Pre-ischial shelf	EA
	F =	E = Angle of shelf (option) =	
	1111-0296-000	Hip belt slots	PR
	G =	H = I =	
	1111-0297-000	Crotch strap/pommel slot	EA
	J =		
	1111-0317-000	Cut-back front edge for leg contractures	EA
	U =		
	1111-0294-000	Inbuilt abductor pommel	EA
	K =	L = M = N =	
	1111-0295-000	Inbuilt adductor thigh guides	PR
	O =	P = Q =	
	1111-0375-000	Seat rail cut-out for drop base	PR
	X =	Y =	
	1111-0325-000	Abduction/adduction contouring in cushion front ½ only	EA
	1111-0335-000	No pommel contouring	EA
	1111-0336-000	Std pommel contour on HC cushion	EA
	1111-0292-000	Leg length discrepancy cut-out	EA
	T =	LEFT / RIGHT	
	1111-0291-000	Rear cut-outs for backrest canes	PR
	R =	S =	
	1111-0380-000	Extensions to widen cushion	PR
	1111-0304-000	SuperHigh modification, increase rear half height to full lateral thigh support	EA

Sketch your cushion elevations here



QTY	ITEM CODE	FOAM/FABRIC CUSTOMISATION	PER
	1111-0391-000	½" soft SunMate® overlay for top cushion surface	EA
	1111-0392-000	½" Gel-foam overlay for top cushion surface	EA
	1111-0365-000	Rear corner ties (attach to backrest canes)	PR
		Custom fabric choice for top cushion surface	
	1111-0399-209	Spextex. Wipe-down, waterproof finish	EA
	1111-0399-219	Spextex. Knitted side fabric finish	EA
	1111-0399-099	Air mesh Spacer Fabric	EA
	1111-0491-028	Change cushion border to Calypso pink	EA
	1111-0491-022	Change cushion border to Chilli red	EA
	1111-0491-030	Change cushion border to Mango orange	EA
	1111-0491-060	Change cushion border to Ocean blue	EA
	1111-0491-090	Change cushion border to Granite grey	EA
	1111-0480-000	Cellphone/accessory pocket for cushion	EA
	1111-0273-000	Spex Cushion additional contouring kit	EA
	1111-0355-000	Waffle gel in ischial region: sizes up to 16x18"	EA
	1111-0356-000	Waffle gel in ischial region: size 16x20"-20x20"	EA
	1111-0358-000	Waffle gel complete overlay: up to 20x20"	EA
	1111-0421-000	Envelope cover only for Supracor® insert	EA
	1111-0431-000	Envelope cover with Supracor® insert	EA

QTY	ITEM CODE	CUSTOM MODIFIED SPARE COVERS (FOR WHEN SHAPE MODS ARE SCRIPTED)	PER
	1123-2949-600	Vigour Outer Cover	EA
	1133-2949-700	Vigour Incontinence Cover	EA
	1125-2949-600	Spex Outer Cover	EA
	1135-2949-700	Spex Incontinence Cover	EA



Supracor® covers add 13 mm to cushion height and provide heat & sweat reduction.

Vigour Back Support

1. SELECT BACK



VIGOUR LO

W/C WIDTH	QTY	HEIGHT	BACK SUPPORT	QTY	SPARE COVER
10"		6"	1252-1006-00L		1252-1006-00L-C
11"*		6"	1252-1106-00L		1252-1106-00L-C
12"		7"	1252-1207-00L		1252-1207-00L-C
13"*		7"	1252-1307-00L		1252-1307-00L-C
14"		8"	1252-1408-00L		1252-1408-00L-C
15"*		8"	1252-1508-00L		1252-1508-00L-C
16"		10"	1252-1610-00L		1252-1610-00L-C
17"		10"	1252-1710-00L		1252-1710-00L-C
18"		11"	1252-1811-00L		1252-1811-00L-C
19"*		11"	1252-1911-00L		1252-1911-00L-C
20"		11"	1252-2011-00L		1252-2011-00L-C

VIGOUR MID



QTY	HEIGHT	BACK SUPPORT	QTY	SPARE COVER
	10"	1252-1010-00M		1252-1010-00M-C
	10"	1252-1110-00M		1252-1110-00M-C
	12"	1252-1212-00M		1252-1212-00M-C
	12"	1252-1312-00M		1252-1312-00M-C
	14"	1252-1414-00M		1252-1414-00M-C
	14"	1252-1514-00M		1252-1514-00M-C
	16"	1252-1616-00M		1252-1616-00M-C
	17"	1252-1717-00M		1252-1717-00M-C
	17"	1252-1817-00M		1252-1817-00M-C
	17"	1252-1917-00M		1252-1917-00M-C
	17"	1252-2017-00M		1252-2017-00M-C

REFER PG 9 FOR CUSTOM BACK SUPPORT SCRIPTING



VIGOUR HI

W/C WIDTH	QTY	HEIGHT	BACK SUPPORT	QTY	SPARE COVER
10"		12"	1252-1012-00H		1252-1012-00H-C
		14"	1252-1014-00H		1252-1014-00H-C
		16"	1252-1016-00H		1252-1016-00H-C
11"*		12"	1252-1112-00H		1252-1112-00H-C
		14"	1252-1114-00H		1252-1114-00H-C
		16"	1252-1116-00H		1252-1116-00H-C
12"		14"	1252-1214-00H		1252-1214-00H-C
		16"	1252-1216-00H		1252-1216-00H-C
		18"	1252-1218-00H		1252-1218-00H-C
13"*		14"	1252-1314-00H		1252-1314-00H-C
		16"	1252-1316-00H		1252-1316-00H-C
		18"	1252-1318-00H		1252-1318-00H-C
14"		16"	1252-1416-00H		1252-1416-00H-C
		18"	1252-1418-00H		1252-1418-00H-C
		20"	1252-1420-00H		1252-1420-00H-C
15"*		16"	1252-1516-00H		1252-1516-00H-C
		18"	1252-1518-00H		1252-1518-00H-C
		20"	1252-1520-00H		1252-1520-00H-C

W/C WIDTH	QTY	HEIGHT	BACK SUPPORT	QTY	SPARE COVER
16"		18"	1252-1618-00H		1252-1618-00H-C
		20"	1252-1620-00H		1252-1620-00H-C
		23"	1252-1623-00H		1252-1623-00H-C
17"		18"	1252-1718-00H		1252-1718-00H-C
		20"	1252-1720-00H		1252-1720-00H-C
		23"	1252-1723-00H		1252-1723-00H-C
18"		18"	1252-1818-00H		1252-1818-00H-C
		20"	1252-1820-00H		1252-1820-00H-C
		23"	1252-1823-00H		1252-1823-00H-C
19"*		18"	1252-1918-00H		1252-1918-00H-C
		20"	1252-1920-00H		1252-1920-00H-C
		23"	1252-1923-00H		1252-1923-00H-C
20"		18"	1252-2018-00H		1252-2018-00H-C
		20"	1252-2020-00H		1252-2020-00H-C
		23"	1252-2023-00H		1252-2023-00H-C

REFER PG 9 FOR CUSTOM BACK SUPPORT SCRIPTING

2. SELECT HARDWARE SELECT ONE HARDWARE CHOICE ONLY FROM THE FOLLOWING OPTIONS. IF NONE SELECTED QUAD MOUNT HARDWARE WILL BE SUPPLIED

✓	Default						
TYPE	Quad Mount	Single Mount	Dual Mount	Quad Mount Heavy-Duty	Quad Mount Fixed	Direct Mount	Omit Hardware
CODE	1259-2400-100	1259-2100-100	1259-2200-100	1259-2405-100	1259-2470-100	1259-2460-100	1259-2000-100
NOTES	Default Vigour hardware if no other choice is selected.	Preferred maximum back height of 18".	Unsuitable for Lo; or chairs w/ back brace between canes	Quad Mount with heavy duty L-Brackets	Fully adjustable, non-removable.	Width adjust only, non-removable.	Back shell and padding only (no hardware)


3. VIGOUR MODIFICATIONS

QTY	CODE	VIGOUR SHAPE MODIFICATION
	1209-2351-300	Micro-Cube & Air-Flow Technology Upgrade
	1209-2931-000	T-Shape modification (to Hi only)
	1208-2936-000	Surface / I Shape modification (to Hi only)

QTY	CODE	CONTOURING CELL-CUBE UPGRADE (SPEX)
	1208-1201-300	Vigour Lo contouring cell-cube system upgrade
	1208-1202-300	Vigour Mid contouring cell-cube system upgrade

To order a backrest incontinence cover, replace -C of Outer Cover code for -I

Comfi Back Support



W/C		1. SELECT BACK		RECTANGLE SHAPE ONLY	
WIDTH	QTY	HEIGHT	BACK SUPPORT	QTY	SPARE COVER
10"		12"	1253-1012-00H		1253-1012-00H-C
		14"	1253-1014-00H		1253-1014-00H-C
		16"	1253-1016-00H		1253-1016-00H-C
		XX	1253-10XX-00H		1253-10XX-00H-C
11"		12"	1253-1112-00H		1253-1112-00H-C
		14"	1253-1114-00H		1253-1114-00H-C
		16"	1253-1116-00H		1253-1116-00H-C
		XX	1253-11XX-00H		1253-11XX-00H-C
12"		14"	1253-1214-00H		1253-1214-00H-C
		16"	1253-1216-00H		1253-1216-00H-C
		18"	1253-1218-00H		1253-1218-00H-C
		XX	1253-12XX-00H		1253-12XX-00H-C
13"		14"	1253-1314-00H		1253-1314-00H-C
		16"	1253-1316-00H		1253-1316-00H-C
		18"	1253-1318-00H		1253-1318-00H-C
		XX	1253-13XX-00H		1253-13XX-00H-C
14"		16"	1253-1416-00H		1253-1416-00H-C
		18"	1253-1418-00H		1253-1418-00H-C
		20"	1253-1420-00H		1253-1420-00H-C
		XX	1253-14XX-00H		1253-14XX-00H-C
15"		16"	1253-1516-00H		1253-1516-00H-C
		18"	1253-1518-00H		1253-1518-00H-C
		20"	1253-1520-00H		1253-1520-00H-C
		XX	1253-15XX-00H		1253-15XX-00H-C
16"		18"	1253-1618-00H		1253-1618-00H-C
		20"	1253-1620-00H		1253-1620-00H-C
		23"	1253-1623-00H		1253-1623-00H-C
		XX	1253-16XX-00H		1253-16XX-00H-C
17"		18"	1253-1718-00H		1253-1718-00H-C
		20"	1253-1720-00H		1253-1720-00H-C
		23"	1253-1723-00H		1253-1723-00H-C
		XX	1253-17XX-00H		1253-17XX-00H-C
18"		18"	1253-1818-00H		1253-1818-00H-C
		20"	1253-1820-00H		1253-1820-00H-C
		23"	1253-1823-00H		1253-1823-00H-C
		XX	1253-18XX-00H		1253-18XX-00H-C
19"		18"	1253-1918-00H		1253-1918-00H-C
		20"	1253-1920-00H		1253-1920-00H-C
		23"	1253-1923-00H		1253-1923-00H-C
		XX	1253-19XX-00H		1253-19XX-00H-C
20"		18"	1253-2018-00H		1253-2018-00H-C
		20"	1253-2020-00H		1253-2020-00H-C
		23"	1253-2023-00H		1253-2023-00H-C
		XX	1253-20XX-00H		1253-20XX-00H-C

REFER PG 9 FOR CUSTOM BACK SUPPORT SCRIPTING

Mantaray Back Support









W/C		1. SELECT BACK			
WIDTH	QTY	HIGH	BACK SUPPORT	QTY	SPARE COVER
12"		14"	1254-1214-000		1254-1214-000-C
		16"	1254-1216-000		1254-1216-000-C
13"		14"	1254-1314-000		1254-1314-000-C
		16"	1254-1316-000		1254-1316-000-C
14"		16"	1254-1416-000		1254-1416-000-C
		18"	1254-1418-000		1254-1418-000-C
15"		16"	1254-1516-000		1254-1516-000-C
		18"	1254-1518-000		1254-1518-000-C
16"		18"	1254-1618-000		1254-1618-000-C
		20"	1254-1620-000		1254-1620-000-C
17"		18"	1254-1718-000		1254-1718-000-C
		20"	1254-1720-000		1254-1720-000-C
18"		18"	1254-1818-000		1254-1818-000-C
		20"	1254-1820-000		1254-1820-000-C
19"		18"	1254-1918-000		1254-1918-000-C
		20"	1254-1920-000		1254-1920-000-C
20"		18"	1254-2018-000		1254-2018-000-C
		20"	1254-2020-000		1254-2020-000-C

REFER PG 9 FOR CUSTOM BACK SUPPORT SCRIPTING

2. SELECT HARDWARE

SELECT ONE HARDWARE CHOICE ONLY FROM THE FOLLOWING OPTIONS. IF NONE SELECTED QUAD MOUNT HARDWARE WILL BE SUPPLIED

✓	Default						
TYPE	Quad Mount	Single Mount	Dual Mount	Quad Mount Heavy-Duty	Quad Mount Fixed	Direct Mount	Omit Hardware
							
CODE	1259-2400-100	1259-2100-100	1259-2200-100	1259-2405-100	1259-2470-100	1259-2460-100	1259-2000-100
NOTES	Default hardware if no other choice is selected.	Preferred maximum back height of 18".	Unsuitable for w/chairs with back brace between canes	Quad Mount with heavy duty L-Brackets	Fully adjustable, non-removable.	Width adjust only, non-removable.	Back shell and padding only (no hardware)







Spex Back Support



1. SELECT SIZE		RECTANGLE SHAPE (STRAIGHT SIDED)				T SHAPE			
W/C WIDTH	HEIGHT	QTY	BACK SUPPORT	QTY	SPARE COVER	QTY	BACK SUPPORT	QTY	SPARE COVER
10"	12"		1255-1012-OSS		1255-1012-OSS-C		1255-1012-OTS		1255-1012-OTS-C
	14"		1255-1014-OSS		1255-1014-OSS-C		1255-1014-OTS		1255-1014-OTS-C
	16"		1255-1016-OSS		1255-1016-OSS-C		1255-1016-OTS		1255-1016-OTS-C
	XX		1255-10XX-OSS		1255-10XX-OSS-C		1255-10XX-OTS		1255-10XX-OTS-C
11"	12"		1255-1112-OSS		1255-1112-OSS-C		1255-1112-OTS		1255-1112-OTS-C
	14"		1255-1114-OSS		1255-1114-OSS-C		1255-1114-OTS		1255-1114-OTS-C
	16"		1255-1116-OSS		1255-1116-OSS-C		1255-1116-OTS		1255-1116-OTS-C
	XX		1255-11XX-OSS		1255-11XX-OSS-C		1255-11XX-OTS		1255-11XX-OTS-C
12"	14"		1255-1214-OSS		1255-1214-OSS-C		1255-1214-OTS		1255-1214-OTS-C
	16"		1255-1216-OSS		1255-1216-OSS-C		1255-1216-OTS		1255-1216-OTS-C
	18"		1255-1218-OSS		1255-1218-OSS-C		1255-1218-OTS		1255-1218-OTS-C
	XX		1255-12XX-OSS		1255-12XX-OSS-C		1255-12XX-OTS		1255-12XX-OTS-C
13"	14"		1255-1314-OSS		1255-1314-OSS-C		1255-1314-OTS		1255-1314-OTS-C
	16"		1255-1316-OSS		1255-1316-OSS-C		1255-1316-OTS		1255-1316-OTS-C
	18"		1255-1318-OSS		1255-1318-OSS-C		1255-1318-OTS		1255-1318-OTS-C
	XX		1255-13XX-OSS		1255-13XX-OSS-C		1255-13XX-OTS		1255-13XX-OTS-C
14"	16"		1255-1416-OSS		1255-1416-OSS-C		1255-1416-OTS		1255-1416-OTS-C
	18"		1255-1418-OSS		1255-1418-OSS-C		1255-1418-OTS		1255-1418-OTS-C
	20"		1255-1420-OSS		1255-1420-OSS-C		1255-1420-OTS		1255-1420-OTS-C
	XX		1255-14XX-OSS		1255-14XX-OSS-C		1255-14XX-OTS		1255-14XX-OTS-C
15"	16"		1255-1516-OSS		1255-1516-OSS-C		1255-1516-OTS		1255-1516-OTS-C
	18"		1255-1518-OSS		1255-1518-OSS-C		1255-1518-OTS		1255-1518-OTS-C
	20"		1255-1520-OSS		1255-1520-OSS-C		1255-1520-OTS		1255-1520-OTS-C
	XX		1255-15XX-OSS		1255-15XX-OSS-C		1255-15XX-OTS		1255-15XX-OTS-C
16"	18"		1255-1618-OSS		1255-1618-OSS-C		1255-1618-OTS		1255-1618-OTS-C
	20"		1255-1620-OSS		1255-1620-OSS-C		1255-1620-OTS		1255-1620-OTS-C
	23"		1255-1623-OSS		1255-1623-OSS-C		1255-1623-OTS		1255-1623-OTS-C
	XX		1255-16XX-OSS		1255-16XX-OSS-C		1255-16XX-OTS		1255-16XX-OTS-C
17"	18"		1255-1718-OSS		1255-1718-OSS-C		1255-1718-OTS		1255-1718-OTS-C
	20"		1255-1720-OSS		1255-1720-OSS-C		1255-1720-OTS		1255-1720-OTS-C
	23"		1255-1723-OSS		1255-1723-OSS-C		1255-1723-OTS		1255-1723-OTS-C
	XX		1255-17XX-OSS		1255-17XX-OSS-C		1255-17XX-OTS		1255-17XX-OTS-C
18"	18"		1255-1818-OSS		1255-1818-OSS-C		1255-1818-OTS		1255-1818-OTS-C
	20"		1255-1820-OSS		1255-1820-OSS-C		1255-1820-OTS		1255-1820-OTS-C
	23"		1255-1823-OSS		1255-1823-OSS-C		1255-1823-OTS		1255-1823-OTS-C
	XX		1255-18XX-OSS		1255-18XX-OSS-C		1255-18XX-OTS		1255-18XX-OTS-C
19"	18"		1255-1918-OSS		1255-1918-OSS-C		1255-1918-OTS		1255-1918-OTS-C
	20"		1255-1920-OSS		1255-1920-OSS-C		1255-1920-OTS		1255-1920-OTS-C
	23"		1255-1923-OSS		1255-1923-OSS-C		1255-1923-OTS		1255-1923-OTS-C
	XX		1255-19XX-OSS		1255-19XX-OSS-C		1255-19XX-OTS		1255-19XX-OTS-C
20"	18"		1255-2018-OSS		1255-2018-OSS-C		1255-2018-OTS		1255-2018-OTS-C
	20"		1255-2020-OSS		1255-2020-OSS-C		1255-2020-OTS		1255-2020-OTS-C
	23"		1255-2023-OSS		1255-2023-OSS-C		1255-2023-OTS		1255-2023-OTS-C
	XX		1255-20XX-OSS		1255-20XX-OSS-C		1255-20XX-OTS		1255-20XX-OTS-C

REFER PG 9 FOR CUSTOM BACK SUPPORT SCRIPTING

2. SELECT HARDWARE SELECT ONE HARDWARE CHOICE ONLY FROM THE FOLLOWING OPTIONS. IF NONE SELECTED QUAD MOUNT HARDWARE WILL BE SUPPLIED

✓ TYPE	Default Quad Mount	Single Mount	Dual Mount	Quad Mount Heavy-Duty	Quad Mount Fixed	Direct Mount	Omit Hardware
							
CODE	1259-2400-100	1259-2100-100	1259-2200-100	1259-2405-100	1259-2470-100	1259-2460-100	1259-2000-100
NOTES	Default Spex hardware if no other choice is selected.	Preferred maximum back height of 18".	Unsuitable for w/chairs with back brace between canes	Quad Mount with heavy duty L-Brackets	Fully adjustable, non-removable.	Width adjust only, non-removable.	Back shell and padding only (no hardware)

3. SPEX SHAPE MODS

QTY	CODE	SHAPE MODIFICATIONS	QTY	CODE	SHAPE MODIFICATIONS
	1209-2932-000	T-Shape squab for Rectangle shape shell		1209-2712-300	Additional positioning kit (pack 10 cubes)
	1209-2937-000	Surface / I Shape modification		1208-2943-000	Extra 3rd layer of positioning cubes

To order a backrest incontinence cover, replace -C of Outer Cover code for -I

SuperShape Back Support

1. SELECT SIZE

W/C WIDTH	HEIGHT	QTY	BACKREST	QTY	SPARE COVER
10"	12"		1256-1012-OSS		1256-1012-OSS-C
	14"		1256-1014-OSS		1256-1014-OSS-C
	16"		1256-1016-OSS		1256-1016-OSS-C
11"	12"		1256-1112-OSS		1256-1112-OSS-C
	14"		1256-1114-OSS		1256-1114-OSS-C
	16"		1256-1116-OSS		1256-1116-OSS-C
12"	12"		1256-1212-OSS		1256-1212-OSS-C
	14"		1256-1214-OSS		1256-1214-OSS-C
	16"		1256-1216-OSS		1256-1216-OSS-C
13"	18"		1256-1218-OSS		1256-1218-OSS-C
	12"		1256-1312-OSS		1256-1312-OSS-C
	14"		1256-1314-OSS		1256-1314-OSS-C
13"	16"		1256-1316-OSS		1256-1316-OSS-C
	18"		1256-1318-OSS		1256-1318-OSS-C
14"	14"		1256-1414-OSS		1256-1414-OSS-C
	16"		1256-1416-OSS		1256-1416-OSS-C
	18"		1256-1418-OSS		1256-1418-OSS-C
14"	20"		1256-1420-OSS		1256-1420-OSS-C
	XX		1256-14XX-OSS		1256-14XX-OSS-C
15"	14"		1256-1514-OSS		1256-1514-OSS-C
	16"		1256-1516-OSS		1256-1516-OSS-C
	18"		1256-1518-OSS		1256-1518-OSS-C
15"	20"		1256-1520-OSS		1256-1520-OSS-C
	XX		1256-15XX-OSS		1256-15XX-OSS-C
16"	16"		1256-1616-OSS		1256-1616-OSS-C
	18"		1256-1618-OSS		1256-1618-OSS-C
	20"		1256-1620-OSS		1256-1620-OSS-C
16"	23"		1256-1623-OSS		1256-1623-OSS-C
	XX		1256-16XX-OSS		1256-16XX-OSS-C
17"	16"		1256-1716-OSS		1256-1716-OSS-C
	18"		1256-1718-OSS		1256-1718-OSS-C
	20"		1256-1720-OSS		1256-1720-OSS-C
17"	23"		1256-1723-OSS		1256-1723-OSS-C
	XX		1256-17XX-OSS		1256-17XX-OSS-C
18"	16"		1256-1816-OSS		1256-1816-OSS-C
	18"		1256-1818-OSS		1256-1818-OSS-C
	20"		1256-1820-OSS		1256-1820-OSS-C
18"	23"		1256-1823-OSS		1256-1823-OSS-C
	XX		1256-18XX-OSS		1256-18XX-OSS-C
19"	16"		1256-1916-OSS		1256-1916-OSS-C
	18"		1256-1918-OSS		1256-1918-OSS-C
	20"		1256-1920-OSS		1256-1920-OSS-C
19"	23"		1256-1923-OSS		1256-1923-OSS-C
	XX		1256-19XX-OSS		1256-19XX-OSS-C
20"	16"		1256-2016-OSS		1256-2016-OSS-C
	18"		1256-2018-OSS		1256-2018-OSS-C
	20"		1256-2020-OSS		1256-2020-OSS-C
20"	23"		1256-2023-OSS		1256-2023-OSS-C
	XX		1256-20XX-OSS		1256-20XX-OSS-C






REFER PG 9 FOR CUSTOM BACK SUPPORT SCRIPTING



2. SELECT HARDWARE

SELECT ONE HARDWARE CHOICE ONLY FROM THE FOLLOWING OPTIONS.

IF NONE SELECTED QUAD MOUNT HARDWARE WILL BE SUPPLIED

✓	IMAGE	TYPE	CODE	NOTES
De- fault		Quad Mount	1259-2400-100	Default Supershape hardware if no other choice is selected.
		Single Mount	1259-2100-100	Preferred maximum back height of 18".
		Dual Mount	1259-2200-100	Not suitable for wheelchairs with back brace between canes.
		Quad Mount Heavy-Duty	1259-2405-100	Quad Mount with heavy duty L-Brackets
		Quad Mount Fixed	1259-2470-100	Fully adjustable, non-removable.
		Direct Mount	1259-2460-100	Width adjust only, non-removable.
		Omit Hardware	1259-2000-100	Back shell and padding only (no hardware supplied).

3. SUPERSHAPE SHAPE MODS

QTY	CODE	SHAPE MODIFICATIONS
	1209-2933-000	T-Shape modification
	1209-2715-300	Additional positioning kit

4. CONTOURING WEDGES

QTY	CODE	WEDGES
	1209-2720-300	Asymmetric contour wedge kit (contains wedges below) 
	1209-2723-300	Asymmetric bi-angular contour wedge 200mm high x 100mm wide x 40mm deep 
	1209-2722-300	Asymmetric narrow contour wedge 200mm high x 100mm wide x 40mm deep 
	1209-2724-300	Asymmetric 5° cushion wedge 44mm high x 550mm wide x 500 deep 

Custom Size Back Support Ordering

When ordering custom size back supports, lead time can be extended by up to 12 working days. Required Measurements:


(1) W/C Width: _____

(2) Shell Height: _____

If you also wish to specify Shell Width, this can be entered below:

(3) Shell Width: _____

STEP 2. ENTER MEASUREMENTS



STEP 1. SELECT BACK SUPPORT

W/C WIDTH	BACK CODE	BACK QTY	CVR COVER CODE	CVR QTY
-----------	-----------	----------	----------------	---------

CUSTOM VIGOUR LO

Upto20	1252-2929-00L		1252-2929-00L-C	
Upto25	1252-2939-00L		1252-2939-00L-C	

CUSTOM VIGOUR MID

Upto20	1252-2929-00M		1252-2929-00M-C	
Upto25	1252-2939-00M		1252-2939-00M-C	

CUSTOM VIGOUR HI

Upto20	1252-2929-00H		1252-2929-00H-C	
Upto25	1252-2939-00H		1252-2939-00H-C	

CUSTOM COMFI

Upto20	1253-2929-00H		1253-2929-00H-C	
Upto25	1253-2939-00H		1253-2939-00H-C	

CUSTOM MANTARAY

Upto20	1254-2929-000		1254-2929-000-C	
Upto25	1254-2939-000		1254-2939-000-C	

CUSTOM SPEX RECTANGLE SHAPE

Upto20	1255-2929-0SS		1255-2929-0SS-C	
Upto25	1255-2939-0SS		1255-2939-0SS-C	

T SHAPE

Upto20	1255-2929-0TS		1255-2929-0TS-C	
Upto25	1255-2939-0TS		1255-2939-0TS-C	

CUSTOM SUPERSHAPE

Upto20	1256-2929-0SS		1256-2929-0SS-C	
Upto25	1256-2939-0SS		1256-2939-0SS-C	

STEP 3. SELECT HARDWARE SELECT 1 HARDWARE CHOICE ONLY FROM THE FOLLOWING OPTIONS. IF NONE SELECTED QUAD MOUNT HARDWARE WILL BE SUPPLIED


✓	Default						
TYPE	Quad Mount	Single Mount	Dual Mount	Quad Mount Heavy-Duty	Quad Mount Fixed	Direct Mount	Omit Hardware
CODE	1259-2400-100	1259-2100-100	1259-2200-100	1259-2405-100	1259-2470-100	1259-2460-100	1259-2000-100
NOTES	Default hardware if no other choice is selected.	Preferred maximum back height of 18".	Unsuitable for Lo; or chairs w/ back brace between canes	Quad Mount with heavy duty L-Brackets	Fully adjustable, non-removable.	Width adjust only, non-removable.	Back shell and padding only (no hardware)

STEP 4. SPECIFY PADDING (NO CHARGE)

✓	Default						
CODE			1249-2339-300			1249-2349-300	
NOTES	Default padding width = wheelchair width minus 1"		Slim Fit Padding (to be same width as back shell)			Custom Fit Padding. Detail:	

Tessellated Shape System Kit

W/C WIDTH	HEIGHT	QTY	ITEM CODE	W/C WIDTH	HEIGHT	QTY	ITEM CODE
10"	12"		1250-1012-000	12"	14"		1250-1214-000
	14"		1250-1014-000		16"		1250-1216-000
	16"		1250-1016-000		18"		1250-1218-000
14"	16"		1250-1416-000	16"	18"		1250-1618-000
	18"		1250-1418-000		20"		1250-1620-000
	20"		1250-1420-000		23"		1250-1623-000
18"	18"		1250-1818-000	20"	18"		1250-2018-000
	20"		1250-1820-000		20"		1250-2020-000
	23"		1250-1823-000		23"		1250-2023-000
Up to 20"	XX		1250-2929-000	TSS to suit back ordered on Script (inc. shape mods)			1250-3949-000
Up to 25"	XX		1250-2939-000				



TSS Elements building kit only (no backboard). Use when mounting shape elements directly to back shell

QTY	ITEM CODE
	1250-3959-000

Back Support Customisations

QTY	ITEM CODE	DESCRIPTION	(Specify) =
	1208-2942-300	Custom thickness (unavailable for Comfi or Air-Flow)	
	1208-2945-300	½" extra soft pressure-relieving foam overlay in front back support section	
	1209-2346-300	30 mm soft pressure-sensitive foam in front section of back support inner	
	1208-2947-300	½" gel-foam in spinal region	
		Custom fabric choice on cover	
	1208-2949-209	Spextex. Wipe-down, waterproof finish	
	1208-2949-219	Spextex. Knitted side fabric finish	
	1208-2949-099	Air mesh Spacer Fabric	
	1209-2491-028	Change back support border to Calypso pink	
	1209-2491-022	Change back support border to Chilli red	
	1209-2491-030	Change back support border to Mango orange	
	1209-2491-060	Change back support border to Ocean blue	
	1209-2491-090	Change back support border to Granite grey	

QTY	ITEM CODE	SUPRACOR®
	1208-2951-300	Envelope cover only for Supracor® insert
	1208-2952-300	Envelope cover with Supracor® insert




Adds 13 mm to back thickness




QTY	ITEM CODE	POSITIONING KITS	IMAGE	QTY	ITEM CODE	POSITIONING KITS	IMAGE
	1209-2713-300	Additional backrest lumbar pad and lateral stability wedges			1209-2720-300	Asymmetric contour wedge kit	
	1209-2722-300	Asymmetric narrow contour wedge 200mm high x 100mm wide x 40mm deep			1209-2724-300	Asymmetric 5° cushion wedge 44mm high x 550mm wide x 500 deep	
	1209-2723-300	Asymmetric bi-angular contour wedge 200mm high x 100mm wide x 40mm deep					

HARDWARE OPTIONS

QTY	CODE	DESCRIPTION
	1259-2450-100	Quad Mount extended upgrade: to increase back angle by ≈10°
	1259-2452-100	Quad Mount extended upgrade: to increase seat depth
	1259-2405-100	Quad Mount Heavy duty L-Bracket upgrade: when purchased with back
	1259-2440-100	Quad Mount additional two points of attachment (6 total) for when back height is over 25" or for extra secure attachment
	1259-2120-100	Single Mount Hardware set for second wheelchair (Up to 18" back height)
	1259-2220-100	Dual Mount Hardware set for second wheelchair
	1259-2420-100	Quad Mount Hardware set for second wheelchair
	1259-2130-100	Single Mount Hardware complete set (Up to 18" back height)
	1259-2230-100	Dual Mount Hardware complete set
	1259-2430-100	Quad Mount Hardware complete set
	1259-2435-100	Quad Mount Heavy duty L-Bracket complete set



Quad Mount Extended




Heavy duty L-Bracket Upgrade

QTY	CODE	FIXING STUDS
	1258-0030-100	16 mm fixing stud
	1258-0031-100	20 mm fixing stud
	1258-0032-100	25 mm fixing stud


Lateral Trunk Supports

These parts are each (one side only). Please enter quantities in the L or R to distinguish between configurations where 2 different laterals are configured.


STEP 1: SELECT HARDWARE



FIXED BRACKET



STANDARD SWING-AWAY



SWING-AWAY AXIAL

L	R	STYLE	CODE
		Fixed	1266-2101-100
		Kidz Fixed	1266-2111-100

Narrow Curved pad not available with Fixed Bracket.

L	R	STYLE	CODE
		Swing-Away, straight	1266-2201-100
		Kidz Swing-Away, straight	1266-2211-100
		Swing-Away, straight extend	1266-2202-100
		Swing-Away, offset 20mm	1266-2203-100
		Kidz Swing-Away, offset 15mm	1266-2213-100
		Swing-Away, offset 40mm	1266-2204-100

L	R	STYLE	CODE
		Axial	1266-2301-100
		Kidz Axial	1266-2311-100

STEP 1A: FIXED BRACKET UPGRADE IF REQUIRED

L	R	BRACKET	CODE
		Reinforcement plate (forceful side leaning or clients over 100 kg)	1266-2450-100

STEP 1A: BRACKET UPGRADES IF REQUIRED (Unavailable for Kidz brackets)

L	R	BRACKET	CODE
		Left Cane Mount (attachment directly to w/chair canes)	1266-2411-100
		Right Cane Mount (attachment directly to w/chair canes)	1266-2412-100
		Reinforcement plate (forceful side leaning or clients over 100 kg)	1266-2450-100
		Deep Contour Bracket Kit: extends depth by 30 mm	1266-2420-100
		Deep Contour Extended Bracket Kit: extends depth up to 115 mm*	1266-2430-100

* Generally used with SuperShape Back Supports with extensive contouring

STEP 2: SELECT PAD WITH STANDARD OR COMFY-COVER

L	R	STD COVER	HEIGHT	DEPTH	CODE	IMAGE	L	R	COMFY-COVER	CODE
		Narrow Straight 0	85 mm	115 mm	1266-3010-400				Narrow Straight 0	1266-3010-800
		Narrow Straight 1	95 mm	145 mm	1266-3011-400				Narrow Straight 1	1266-3011-800
		Narrow Straight 2	95 mm	180 mm	1266-3012-400				Narrow Straight 2	1266-3012-800
		Narrow Straight 3	115 mm	210 mm	1266-3013-400				Narrow Straight 3	1266-3013-800
		Narrow Straight 4	115 mm	240 mm	1266-3014-400				Narrow Straight 4	1266-3014-800
		Narrow Curved 1	95 mm	145 mm	1266-3021-400				Narrow Curved 1	1266-3021-800
		Narrow Curved 2	95 mm	180 mm	1266-3022-400				Narrow Curved 2	1266-3022-800
		Narrow Curved 3	115 mm	210 mm	1266-3023-400				Narrow Curved 3	1266-3023-800
		Narrow Curved 4	115 mm	240 mm	1266-3024-400				Narrow Curved 4	1266-3024-800
		Broad 1	105 mm	130 mm	1266-3031-400				Broad 1	1266-3031-800
		Broad 2	125 mm	140 mm	1266-3032-400				Broad 2	1266-3032-800
		Broad 3	140 mm	150 mm	1266-3033-400				Broad 3	1266-3033-800
		Broad 4	160 mm	155 mm	1266-3034-400				Broad 4	1266-3034-800
		Broad 5	195 mm	165 mm	1266-3035-400				Broad 5	1266-3035-800
		Broad 6	230 mm	175 mm	1266-3036-400				Broad 6	1266-3036-800

STEP 3: SELECT FABRIC


L	Default			
R	Default			
TYPE	Neoprene both sides	GlideWear anti-shear fabric on internal face	Spextex. Wipe-down, waterproof	Spextex. Knitted side fabric finish
CODE		1261-3849-295	1261-3849-209	1261-3849-219

STEP 4: CUSTOMISE IF REQUIRED

L				
R				
CUS-TOM	½" SunMate® overlay: internal /top surface	½" Gel-foam overlay: internal /top surface	Neoprene sleeve to protect hardware	Other customisation, specify:
CODE	1261-3846-400	1261-3847-400	1261-3848-400	1261-5839-400

Arm Support Hardware

SELECT ARM PAD
ON PG 13



SEAT PAN


EACH	QTY	QUICK RELEASE	QTY	SWING-DOWN	QTY	FIXED MOUNT
Fixed		1156-0100-110		1156-0100-120		1156-0100-130
Fixed Kidz		1156-0200-110		1156-0200-120		1156-0200-130
Angle-Adjust		1156-0300-110		1156-0300-120		1156-0300-130



Fixed Arm Support

SEAT RAIL

EACH	QTY	QUICK RELEASE	QTY	SWING-DOWN	QTY	FIXED MOUNT
Fixed		1156-0100-210		1156-0100-220		1156-0100-230
Fixed Kidz		1156-0200-210		1156-0200-220		1156-0200-230
Angle-Adjust		1156-0300-210		1156-0300-220		1156-0300-230




Angle-Adjust Arm Support

Thigh Support Hardware

SELECT THIGH PAD
ON PG 13


SEAT RAIL SEAT PAN

EACH	QTY	QUICK RELEASE	QTY	SWING-DOWN	QTY	FIXED MOUNT
Fixed		1156-0002-110		1156-0002-120		1156-0002-130
Axial		1156-0001-110		1156-0001-120		1156-0001-130



Fixed Thigh Support

EACH	QTY	QUICK RELEASE	QTY	SWING-DOWN	QTY	FIXED MOUNT
Fixed		1156-0002-210		1156-0002-220		1156-0002-230
Axial		1156-0001-210		1156-0001-220		1156-0001-230




Axial Thigh Support

Combo Arm/Thigh Hardware

SELECT ARM/THIGH
PADS ON PG 13

SEAT PAN


EACH	QTY	QUICK RELEASE	QTY	SWING-DOWN	QTY	FIXED MOUNT
Angle-Adjust Arm + Axial Thigh		1156-0301-110		1156-0301-120		1156-0301-130
Angle-Adjust Arm + Fixed Thigh		1156-0302-110		1156-0302-120		1156-0302-130
Fixed Arm + Axial Thigh		1156-0101-110		1156-0101-120		1156-0101-130
Kidz Fixed Arm + Axial Thigh		1156-0201-110		1156-0201-120		1156-0201-130
Fixed Arm + Fixed Thigh		1156-0102-110		1156-0102-120		1156-0102-130
Kidz Fixed Arm + Fixed Thigh		1156-0202-110		1156-0202-120		1156-0202-130



Combo Angle Adjust Arm + Axial Thigh with Seat Pan Mount

SEAT RAIL

EACH	QTY	QUICK RELEASE	QTY	SWING-DOWN	QTY	FIXED MOUNT
Angle-Adjust Arm + Axial Thigh		1156-0301-210		1156-0301-220		1156-0301-230
Angle-Adjust Arm + Fixed Thigh		1156-0302-210		1156-0302-220		1156-0302-230
Fixed Arm + Axial Thigh		1156-0101-210		1156-0101-220		1156-0101-230
Kidz Fixed Arm + Axial Thigh		1156-0201-210		1156-0201-220		1156-0201-230
Fixed Arm + Fixed Thigh		1156-0102-210		1156-0102-220		1156-0102-230
Kidz Fixed Arm + Fixed Thigh		1156-0202-210		1156-0202-220		1156-0202-230



Combo Angle Adjust Arm + Axial Thigh with Seat Rail Mount

Thigh & Arm Support Pads

COMFI ARM SUPPORT PADS

QTY	ITEM CODE	SIZE	A (mm)	B (mm)	PER
	1156-5811-410	1 Narrow	40	250	EA
	1156-5812-410	2 Narrow	50	300	EA
	1156-5813-410	3 Narrow	60	350	EA
	1156-5821-410	1 Wide	70	250	EA
	1156-5822-410	2 Wide	80	300	EA
	1156-5823-410	3 Wide	90	350	EA
	1156-5829-410	Custom	XX	XX	EA

THIGH SUPPORT PADS



QTY	ITEM CODE	SIZE	A (mm)	B (mm)	E (mm)	PER
	1156-1010-400	10"	250	75	25	EA
	1156-1012-400	12"	300	80	25	EA
	1156-1014-400	14"	350	90	25	EA
	1156-1016-400	16"	400	100	25	EA
	1156-1018-400	18"	430	100	25	EA
	1156-1020-400	20"	450	100	25	EA
	1156-1029-400	Custom	XX	XX	XX	EA

CUSTOMISE ARM SUPPORT PADS IF REQUIRED

QTY	ITEM CODE	CUSTOMISATION	PER
	1300-5839-400	Controller cutout	EA
		C=	D=
	1300-5842-400	Custom Thickness	EA
	1300-5847-400	½" Gel-Foam Overlay	EA
		Custom fabric on arm support pad	
	1300-5849-219	Spextex. Knitted side fabric finish	EA
	1300-5844-400	Rear Elbow Pad & Bracket	EA
		F=	G=
	1300-5845-400	Side Elbow Pad	EA
		F=	G=

CUSTOMISE THIGH SUPPORT PADS IF REQUIRED

QTY	ITEM CODE	CUSTOMISATION	PER
	1153-1139-400	Custom Cut-out	EA
		C=	D=
	1153-1145-400	Custom Thickness	EA
	1153-1147-400	½" Gel-Foam Overlay	EA
		Custom fabric on thigh support cover	
	1153-1149-209	Spextex. Wipe-down, waterproof finish	EA
	1153-1149-219	Spextex. Knitted side fabric finish	EA
	1153-1149-295	GlideWear anti-shear fabric on internal face	EA





Medial Thigh Support

SWING-DOWN, STANDARD PAD

QTY	ITEM CODE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
	1162-1501-000	1	60	145	95	40	40	65
	1162-1502-000	2	60	155	100	60	50	65
	1162-1503-000	3	60	185	105	60	60	75
	1162-1509-000	Custom	XX	XX	XX	XX	XX	XX

SWING-DOWN, AXIAL-ADJUSTABLE PAD

	1162-1601-000	1	70-140	145	95	50-120	40	65
	1162-1602-000	2	70-140	155	100	60-140	50	65
	1162-1603-000	3	70-160	185	105	60-140	60	75
	1162-1609-000	Custom		XX	XX		XX	XX



MEDIAL THIGH SUPPORT CUSTOMISATIONS

QTY	ITEM CODE	CUSTOMISATION
	1160-1576-000	½" SunMate® foam overlay
	1160-1577-000	½" Gel-Foam Overlay

QTY	ITEM CODE	FABRIC CUSTOMISATIONS
	1160-1579-209	Spextex. Wipe-down, waterproof finish*
	1160-1579-219	Spextex. Knitted side fabric finish*
	1160-1579-295	GlideWear anti-shear fabric

*Not available for Axial-Adjustable Pad

Head Supports

SELECT HEAD SUPPORT

	SIZE	PAD WIDTH	PAD HEIGHT	QTY	PAD & STD HARDWARE	PER	QTY	PAD & ZOOM HARDWARE	PER
COMPACT	COM	250 mm	100 mm		1270-4131-000	EA		1270-4231-000	EA
	CUS	XX	XX		1270-4139-000	EA		1270-4239-000	EA
SQUARE	SML	200 mm	160 mm		1270-4111-000	EA		1270-4211-000	EA
	LGE	240 mm	200 mm		1270-4112-000	EA		1270-4212-000	EA
	CUS	XX	XX		1270-4119-000	EA		1270-4219-000	EA
CONTOUR	SML	285 mm	115 mm		1270-4121-000	EA		1270-4221-000	EA
	LGE	340 mm	165 mm		1270-4122-000	EA		1270-4222-000	EA
	CUS	XX	XX		1270-4129-000	EA		1270-4229-000	EA
COMFI	STD	270 mm	150 mm		1270-4151-000	EA		1270-4251-000	EA
	EXD	270 mm	165 mm		1270-4152-000	EA		1270-4252-000	EA
	CUS	XX	XX		1270-4159-000	EA		1270-4259-000	EA
Comfi standard internal pad dimensions (to accommodate the neck): Width = 130 mm. Depth = 75 mm Comfi extended internal pad dimensions (to accommodate the neck): Width = 170 mm. Depth = 160 mm									
ADJUSTABLE LATERAL	SML	200 mm	160 mm		1270-4141-000	EA		1270-4241-000	EA
	LGE	240 mm	200 mm		1270-4142-000	EA		1270-4242-000	EA
	CUSTOM Rear Headrest Pad				1270-4148-300	EA	XX W	XX D	
	CUSTOM Wing Headrest Pads				1270-4149-300	PR	XX W	XX D	
	S/away lateral mech upgrade				1272-4250-100	1 Side	Specify: Left / Right		EA



Lateral wing size
= 8 x 15 cm

QTY	CODE	MODIFY IF REQUIRED	PER
	1271-5879-000	Custom headrest pad thickness (specify) _____ mm	EA
	1271-0019-000	½ inch soft pressure-relieving SunMate® foam overlay	EA
		Custom fabric choice for head support cover	
	1271-0039-209	Spextex. Wipe-down, waterproof finish	EA
	1271-0039-219	Spextex. Knitted side fabric finish	EA
	1271-0039-291	Neoprene	EA
	1271-0039-295	GlideWear anti-shear fabric	EA
	1271-4691-028	Change headrest rear panel to Calypso pink	EA
	1271-4691-022	Change headrest rear panel to Chilli red	EA
	1271-4691-030	Change headrest rear panel to Mango orange	EA
	1271-4691-060	Change headrest rear panel to Ocean blue	EA
	1271-4691-090	Change headrest rear panel to Granite grey	EA

Calypso

Chilli


Mango

Ocean

Granite

Harnesses

	SIZE	QTY	CODE	SPEC (1)	SPEC (2)	SPEC (3)	W/C WIDTH
H-HARNESS	XSM		1409-6640-017		27 cm		8-12"
	SML		1409-6641-017		30 cm		11-15"
	MED		1409-6642-017		36 cm		14-17"
	LGE		1409-6643-017		42 cm		17-20"
	XLG		1409-6644-017		48 cm		20" +
RETRACTOR	SML		1409-6621-017		32 cm		11-15"
	MED		1409-6622-017		38 cm		14-17"
	LGE		1409-6623-017		44 cm		17-20"
	XLG		1409-6624-017		50 cm		20" +
VEST	XSM		1409-6610-017	15 cm	24 cm	24 cm	8-12"
	SML		1409-6611-017	20 cm	32 cm	32 cm	11-15"
	MED		1409-6612-017	26 cm	40 cm	40 cm	14-17"
	LGE		1409-6613-017	30 cm	48 cm	48 cm	17-20"
CENTREPOINT	XSM		1409-6660-017	23 cm	26 cm	22 cm	8-12"
	SML		1409-6661-017	29 cm	36 cm	32 cm	11-15"
	MED		1409-6662-017	34 cm	40 cm	36 cm	14-17"
	LGE		1409-6663-017	40 cm	45 cm	42 cm	17-20"
	XLG		1409-6664-017	45 cm	50 cm	50 cm	20" +
SHOULDER STRAP GUIDES/RETAINER			1400-6692-000	Includes pair of shoulder strap guides and all attachment hardware			



HARNESS MODIFICATIONS

QTY	CODE	MODIFICATIONS	PER
	1409-6810-000	Removable neoprene sleeves for harness	Length: cm PR
	1409-6820-000	Buckles fitted to lower shoulder harness straps	PR
	1409-6834-000	Custom shape alteration to harness pads	SET
	1409-6815-000	Extra long webbing straps	Length: cm SET
	1409-6828-000	Change buckle to centre-release style on shoulder harness	EA
	1409-6826-000	Change buckle to anti-escape style on shoulder harness	EA
	1409-6841-000	Convert shoulder harness to front-pull style	EA

Hip Belts

Padding width for all Hip Belts

XSM	SML	MED	LGE
30 cm	36 cm	46 cm	56 cm



STYLE	SIZE	QTY	SIDE-RELEASE	QTY	CENTRE-RELEASE	QTY	ANTI-ESCAPE	QTY	PEN-POPPER
	XSM		1405-6210-027		1405-6210-028				1405-6210-025
	SML		1405-6211-027		1405-6211-028		1405-6211-026		1405-6211-025
	MED		1405-6212-027		1405-6212-028		1405-6212-026		1405-6212-025
	LGE		1405-6213-027		1405-6213-028		1405-6213-026		1405-6213-025
	XSM		1405-6220-027						
	SML		1405-6221-027						
	MED		1405-6222-027						
	LGE		1405-6223-027						
	XSM		1406-6400-027		1406-6400-028				1406-6400-025
	SML		1406-6401-027		1406-6401-028		1406-6401-026		1406-6401-025
	MED		1406-6402-027		1406-6402-028		1406-6402-026		1406-6402-025
	LGE		1406-6403-027		1406-6403-028		1406-6403-026		1406-6403-025
	XSM		1406-6410-027		1406-6410-028				1406-6410-025
	SML		1406-6411-027		1406-6411-028		1406-6411-026		1406-6411-025
	MED		1406-6412-027		1406-6412-028		1406-6412-026		1406-6412-025
	LGE		1406-6413-027		1406-6413-028		1406-6413-026		1406-6413-025
	XSM		1406-6420-027						
	SML		1406-6421-027						
	MED		1406-6422-027						
	LGE		1406-6423-027						
							1409-6812-000	Pressure-reducing gel-foam slip on sleeves for all hip belts. Retrofits to hip belt pads.	



Limb Supports

PADDED FOREARM STRAPS	QTY	SIZE	SET OF FOUR	QTY	ONE ONLY	HEEL LOOPS	QTY	SIZE	PAIR
		SML	1408-6511-017		1408-6521-017			SML	1403-6181-017
		MED	1408-6512-017		1408-6522-017			MED	1403-6182-017
		LGE	1408-6513-017		1408-6523-017			LGE	1403-6183-017
FOOTFAST STABILISERS	QTY	SIZE	CIRCUMFERENCE	STANDARD PAIR		QTY	PAIR WITH REAR RETAINER STRAP		
		SML	15-23 cm (Inner)	1401-6161-017			1401-6165-017		
		MED	22-30 cm (Inner)	1401-6162-017			1401-6166-017		
		LGE	26-38 cm (Inner)	1401-6163-017			1401-6167-017		
PADDED CALF STRAPS	QTY	CODE	W/C WIDTH	HEIGHT	QTY	CODE	W/C WIDTH	HEIGHT	
		1402-6170-017	10"	5 cm		1402-6174-017	17"	9 cm	
		1402-6171-017	12"	5 cm		1402-6175-017	18"	11 cm	
		1402-6172-017	14"	7 cm		1402-6176-017	20"	13 cm	
		1402-6173-017	16"	9 cm		1402-6177-017	XX	XX	

spex[®]

Shaping Better Lives


SPEX APPENDIX



BACK SUPPORTS

Single mount hardware


Preferred maximum back height of 18". Angle adjustment of up to 26°.



When ordered with back support 1259-2100-100
Complete hardware set only 1259-2130-100

Dual mount hardware


Unsuitable for Vigour Lo or chairs with back brace between canes. Angle adjustment of up to 22°.



When ordered with back support 1259-2200-100
Complete hardware set only 1259-2230-100

Quad mount hardware


Default back support hardware on all back supports. Angle adjustment of up to 13°.



When ordered with back support 1259-2400-100
Complete hardware set only 1259-2430-100

Quad mount fixed hardware


Fully adjustable, non-removable back support hardware.



When ordered with back support 1259-2470-100

Direct mount hardware


Width adjustable only, non-removable back support hardware.



When ordered with back support 1259-2460-100

Quad mount heavy duty


Default quad mount back support hardware on all back supports above 20".



When ordered with back support 1259-2405-100
Complete hardware set only 1259-2435-100

Quad mount extensions


Extension plates available for quad mount back support hardware.



Add one set to increase back angle
1259-2450-100

Add a pair to increase seat depth
1259-2452-100


Hardware sets for 2nd chair



Single Mount set for second chair 1259-2120-100

Dual Mount set for second chair 1259-2220-100

Quad Mount set for second chair 1259-2420-100




T & Surface/I shape plates


When ordering a T or Surface/I shape back support, the standard plates used are shown.

Plates shown in blue = 10" - 15" back support

Plates shown in red = 16"+ back support



Mantaray wing sizes




Wings shown in blue = 10" - 15" back support - can be rotated to give only 35 mm depth

Wings shown in red = 16"+ back support

LATERAL SUPPORTS

Straight lateral dimensions




Kidz Swing-away, straight 1266-2211-100

Swing-away, straight 1266-2201-100

Swing-away, straight extend 1266-2202-100

Offset lateral dimensions

When lateral support is required to sit closer towards the user's trunk to provide support




Kidz Swing-away, offset 15 mm 1266-2213-100

Swing-away, offset 20 mm 1266-2203-100

Swing-away, offset 40 mm 1266-2204-100

Axial lateral adjustments

Range of adjustment available within the Axial lateral hardware.




Kidz Axial Lateral Hardware 1266-2311-100

Axial Lateral Hardware 1266-2301-100

Cane mount lateral

Attachment directly to wheelchair canes. Not suitable for Kidz or Fixed brackets.




Left Cane Mount 1266-2411-100

Right Cane Mount 1266-2412-100

LATERAL SUPPORTS

Deep contour bracket


Extends depth by 30 mm, use with extensive back support contouring. Not suitable for Kidz or Fixed brackets.



Deep Contour Bracket Kit 1266-2420-100
Shown above on (top) straight and (bottom) straight extended

Deep contour extended


Extends depth by 115 mm, generally used with SuperShape back supports with extensive contouring. Not suitable for Kidz or Fixed brackets.



Deep Contour Extended Bracket Kit 1266-2430-100
Shown above on (top) straight and (bottom) straight extended

Lateral reinforcement plate

For forceful side leaning or clients over 100 kg




Reinforcement Plate 1266-2450-100

AXIAL THIGH SUPPORTS

Axial thigh support hardware


Available adjustment range.



MEDIAL THIGH SUPPORTS

Std medial thigh support

Available adjustment range with Standard medial thigh support.



Axial medial thigh support

Available adjustment range with Axial medial thigh support. Height adjustment = 61 mm

